PRICE LIST

OF

PLANTS AND BULBS

GOVERNMENT BOTANIC GARDENS, LAL-BAGH, BANGALORE



BANGALORE:

PRINTED AT THE MYSORE GOVERNMENT PRESS
1930

PRICE LIST

OF

PLANTS AND BULBS

GOVERNMENT BOTANIC GARDENS, LAL-BAGH, BA GALORE



BANGALORE:

PRINTED AT THE MYSORE GOVERNMENT PRESS

CONTENTS.

					PAGE
1.	Creepers and Climbers		1.1	••	. 1
2.	Shrubs				. 5
3.	Trees ··		. 1		13
	Foliage Plants				21
4.	Flowering Plants—(Florist's F	low 1			25
5.					27
6.	Bulbous Plants	•			
7.	Ferns and Selaginellas		••	• •	32
8.	Palms and Cycads			••	36
9.	Roses	1000	4.00		40
10.	Orchids	Market St.	4.0		42
11.	Succulents			,	44
12.	Fruit Trees	() W		• •	46
13.	Economic Plants				48
14.	Cut Flowers, Bouquets, etc			*	51
	Sundry Garden Requisites		7. · · · · · · · · · · · · · · · · · · ·		52

NOTICE.

- 1. This price list cancels all previous Catalogues and quotations for Plants and Bulbs.
- 2. The prices quoted are only for small plants. For full grown specimens, when available, special rates (ascertainable on application), will be charged.
- 3. The prices quoted in this Datalogue are net (delivered at the Lal-Bagh), packing, cooly, rail and other charges being extra.
- 4. The Gardens Department, while taking every reasonable precaution, cannot accept any responsibility with regard to the condition of plants after they leave the Gardens except when bad or careless packing is proved. All damage caused by delay in transit or by exposure to the sun at Railway Stations must be borne by the purchaser.
- 5. Orders not accompanied by a remittance or reference of payment, will, at the discretion of the undersigned, be sent by V. P. P.
- 6. Postage stamps for amounts exceeding one rupee cannot be accepted unless one anna per rupee be sent in addition to cover the cost of converting the stamps into cash.
- 7. Remittance by cheques in payment of account with the Gardens, should always include a discount of $\frac{1}{2}$ per cent to cover the charge of cashing the same. Crossed cheques are not acceptable, as this office has not opened accounts with local banks.

- 8. As this is a Government institution, receipts granted by this Office on sums exceeding Rs. 20 are not stamped as per Codal Rules, as such receipts are issued on behalf of Government.
- 9. Indentors are particularly requested to write their names and addresses legibly when drawing up their orders.
- 10. All correspondence re order and inquiries may be addressed to the Superintendent, Government Garden, complaint from purchasers and requisition from Botanical Institution for exchanges to the Director.

H. C. JAVARAYA Superintendent.

G. H. KRUMBIEGAL,

Director of Horticulture.

Lal-Bagh, Bangalore, 15th May 1930.

PRICE LIST.

(The prices quoted are for single plants.)

1. C1	reepers	and	Clim	bers.
-------	---------	-----	------	-------

		Rs.	as.
Abrus precatorius (Wild Liquorice) (האסטהספ	ಕಿಗಿಡ)	0	4
Adenocalymna calycina		0	4
Allamanda Aubliti		0	8
,, cathartica		0	4
;, grandiflora		0	6
,, neriifolia	• • •	0	4
" Schotii		0	6
Amphilophium Mustisii		0	4
Antigonon albicans (white)	••	0	6
" amabilis (white and pink)	4	0	8
" guatemalense (Double pink)		0	8
" insigne (Deep pink)		0	4
" leptopus (Pink) (Sandwich			
Island creeper).		0	4
Aristolochia (Birthwort Pelican flower)			
,, Bonplandii	4.	0	4
" Duchartrei		0	8
" elegans		0	4
" leuconeura	••	0	4
" ridicula	×	0	4
Argyreia speciosa		0	4
Artabotrys odoratissimus (ಮನೊರಂಜ೯)	••	0	2
Asparagus plumosus	••	0	4
,, officinalis (ಮಜ್ಜಿಗೆ ಗಡ್ಡೆ)	••	0	4
Banisteria laurifolia	••	0	4
Beaumontia grandiflora	••	0	4
Jerdoniana		0	6

Creepers and Climbers-continued.

	Rs. as.
Bignonia Chamberlaynii .	. 0 4
" Cherere	1 0
" gracilis	. 0 4
,, incarnata	0 8
" magnifica	. 0 4
" Tweediana .	. 0 6
" venusta .	. 0 6
Bougainvillea braziliensis	1 0
" Cypheri .	. 1 0
" glabra .	. 0 4
" lateritia .	. 1 0
" Maharaja of Mysore .	. 1 0
" magnifica var. Traili .	. 1 0
" Maud Chettleburgh .	. 1 0
" Mrs. Butt	. 2-3-0
"· Mrs. Fraser .	. 1 0
" refulgens .	. 1 0
" Sanderiana .	. 1 0
" Scarlet Queen .	. 230
,, speciosa .	. 1 0
" spectabilis .	. 0 4
Brachypterum scandens Syn.	
(Lophospermum scandens)	. 0 2
Chonemorpha macrophylla .	. 0 8
Cissus discolor	. 0 8
Clematis aristata	. 0 4
", flammula	. 0 4
" paniculata .	. 0 4
Clerodendron Balfouri .	. 0 6
" Thomsoniæ	. 0 4
Clitoria ternatea (たばせみ下も)	. 0 2
" " var. alba	. 0 4
Conjea tomentosa .	. 0 8

Creepers and Climbers-continued.

		Rs.	as.
Cryptostegia grandiflora	••	0	2
Dalbergia scandens (Derris scandens)		0	4
Echites aromatica (ಮಾಲತಿ)	• •	0	6
,, rubra venosa		0	8
Faradaya splendida		0	8
Ficus repens		0	4
Hydera helix (Ivy)		0	4
,, ,, var. variegata	100	0	8
Hexacentric Mysorensis Syn. Thunbergia M	ysorensi	s 0	8
Hiptage madablota (ಮಾದವಿಲತ)		0	4
Hoya carnosa		0	6
" " viridiflora		0	2
Ipomæa Bona-nox (Moon Flower Creeper)		0	2
" Brigsii		1	0
,, carnea	The Park Control	0	2
" coccinea		0	2
" Horsfalliæ	4	1	0
" Leari		0	2
" palmata		0	2
,, paniculata		0	4
,, tuberosa		0	2
Jasminum grandiflorum		0	4
,, odoratissimum		0	4
,, sambac (Double Jasmine) (ప్రభునుక్త	್ತಿನ		
ಮಲ್ಲಿಗೆ)	••	0	6
Jacquemontia cærulea		0	4
Lonicera coccinea (Honey Suckle)		0	6
" caprifolium	••	0	8
Lophospermum scandens. Syn. Brachypteru scandens	ım		
Scandens		0	2

Creepers and Climbers—concld.

		Rs.	as.
Passiflora alba (P. Constance-Eliott)	• •	0	4
,, cærulea (Passion Flower) (blue)		0	4
" edulis (cream)		0	4
,, kermesina (P. Raddiana) (trhed)	••	0	8
,, laurifolia (Jamaica Honey Suckle)			
(large blue)	••	0	4
Pergularia odoratissima (Cowslip Creeper)	• •	0	4
Petræa volubilis (Lilac Bouquet)	• •	0	8
Poivrea coccinea		0	8
Porana paniculata (Bridal Bouquet Creeper)		0	4
" volubilis	*	0	6
Quisqualis indica (Rangoon Creeper)		0	4
Rhyncospermum jasminoides	• •	0	6
Solanandra grandiflora		0	8
Solanum Seaforthianum		0	2
" Wendlandii		0	4
Stephanotis floribunda		1	0
", ", van Elvaston		1	0
Stigmatophyllum aristatum		0	8
Tecoma jasminoides		0	4
" radicans		0	4
Thunbergia grandiflora		0	4
" " var. alba	••	0	4
" mysorensis (Hexacentris Mysorens	sis)	0	8
Tristellteia Australasiæ		0	8
Vallaris dichotoma	•	0	4
Vernonia elangifolia		0	2
Wistaria chinensis		0	8
" brachybotrys		0	
,, purple		0	8
			US TO SERVICE OF

2. Shrubs.

		Rs.	as.
Abutilon indicum		0	6
Acalypha bicolor		0	2
" colorata		0	4
" Godseffiana		0	4
., Hamiltoniana		0	2
" hispida or Sanderiana	4	0	6
" illustrata		0	4
" indica (ಕುಪ್ಪಿಗಿಡ)	••	0	2
" Macfeeana		0	4
" macrophylla		0	4
" macrostachya		0	6
" marginata		0	2
" musaica		0	4
" obovata	100 · • 10	0	4
" torta		0	4
" tricolor		0	2
Acanthus angustifolius (Justicia carnea)		0	4
Aloysia citriodora Syn. Lippia citriodora,	•		
(Lemon-scented Verbena).		0	8
Aralia Bonerppi		0	4
" cordata	••	- 0	4
,, filicifolia	••	0	6
,, papyrifera (Rice-paper plant)	• •	0	8
" rotunda	••	0	4
" veitchii gracilima		1	0
Barleria cristata rosea (진원)		0	4
", ", var. variegata		0	4
" lupulina		0	4
" spinosa		0	2
" several hybrids	••	0	2
Bauhinia candida	1	0	6
" Galpinii		0	6
,, tomentosa (ವನಸಂಪಿಗೆ)	••	0	4

Rs.	as.
0	4
0	4
0	4
0	6
0	4
0	2
0	4
0	6
0	6
0	8
0	8
0	4
0	2
0	6
0	2
0	4
0	4
0	6
0	8
0	8
0	8
0	8
0	8
0	8
1	0
1	0
1	8
0	12
0	4
1	0
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

				Rs. a	is.
Codeun	n (Croton)—contd.				
,,	Dark Dormanianus			0	4
,,	Day Spring			0	8
,,	Duke of Edinburgh		4.4	0	8
,,	Evanseana		🗻	0	4
,,	Euterpe		••	1	0
,,	Excelsior			0	8
,,	Gladstonei			0	8
,,	Goldiana	0	 	0	8
,,	Grande			0	6
,,	Henryeanus	0		0	4
,,	Hillianus			0	4
,,	Imperialis			0	8
,,	Imperator		••	0	6
,,	irregulare		1	0	4
,,	Jamesii			0	8
,,	Kingianus			0	8
,,,	longifolium (Australian)		. 5	0	4
"	Lowii		* A. *	0	8
,,	Macarthurii No. 1			0	4
,,	Maculata-Kaltoni			0	8
,,	Maharaja of Durbunga		*.*	1	0
,,	Magnifolia			0	8
* ,,	Mooreanus			0	8
* **	Ovalifolia			0	4
,,	Prince Albert Victor			0	8
,,	Prince of Wales			0	8
))	Princess of Wales			0	8
- ,,	Recurvifolius, No. 1		•••	0	8
,,	·,, 2		1 . A	0	8
£ ,,	Rosea picta			0	4
4 ,,	Rotundifolia		5	0	4
93	Schomburgkiana	94		0	8

		Rs.	as.
Schomburgkiana (Golden v	pariety)	1	0
" Shepherdii	Land Charles 1	0	8
" Sir Ashly Eden		0	8
" Spiralis	A deministration of	0	4
Codeum (Croton)—			
" Sunrise		0	8
,, Sunset		0	8
" Undulatum	1800.00	0	4
" Variegatum		0	8
" Veitchii		0	4
" Versicolor		0	8
,, Vittatus	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	4
", Warrenii		0	8
" Williamsii	La Barrier Street	0	6
" Youngii No. I	TO PERSONAL PROPERTY.	0	4
" " " " II		0	4
" Seedlings (Several ve	arieties)	0	4
		to 1	0
Datura arborea (ಉಮೃತ್ತಿ)	••	0	2
Desmodium arboreum		0	4
Dodonaea Viscosa (ಬಂದರಿ)		0	2
Dombeya Aliporensis	bearbilly six.	0	8
,, angulata		0	4
" Burgimanae		0	8
,, Lancasterii		0	8
" Madohensis	Amorat Trans.	0	4
" Mastersii	The second second	0	6
" Natalensis	BLANCE	0	4
,, punctata		0	4
,, spectabilis		0	2
Duranta Ellisia	Land to the same of	0	2
Duranta Ellisia var. alba	at a layer	0	2
Eranthemum alba marginat	um	0	4

	1	Rs.	as.
Eranthemum cinnabarinum	•	0	4
" elegans	• •	0	2
" El Dorado	••	0	3
" metallicum	•	0	4
" multicolor		0	2
" nobilis	••	0	2
" pulchellum (now Daedalacanthu	S		
nervosus)	•	0	2
" tricolor ,	•	0	4
,, variabile	•	0	4
,, versicolor	•	0	6
Erythrina Blakii. Syn. E. ovalifolium	•	0	6
" Cristagalli .		0	6
" Parcellii (variegated leaf) .		0	4
Eugenia Michelli (Brazil cherry) .		0	4
Euphorbia (Milkworts or spurge) Bojeri .	•	0	2
", pulcherrima (see poinsettia)			
Excoecaria bicolor , .		0	4
Franciscea uniflora .		0	8
Gardenia florida (Cape jessamine)		0	8
Gliricidia maculata (Syn. Lonchocarpus roseus)	0	4
Gmelina asiatica		0	4
Graptophyllum hortense .		0	4
", " var. pieta .		0	4
,, ,, var. variegata .	•	0	4
Habrothamnus (See cestrum)			
Hamiltonia suaveolens .	•	0	4
Hibiscus mutabilis (ಬೆಟ್ಟದಾವರೆ)	•	0	4
" pleno .		0	4
" rosa-rubro plenus .	•	0	4
,, rosa-sinensis (Shoe flower) (ದಾಸುವಾಳ) .	•	0	2
", ", cooperii .	•	0	8
" schizopetalus .		0	4

Shrubs - continued.

		Rs. a	as.
Hibicus various hybrids		0	8
Hamelia patens	••	0	4
Holmskioldia sanguinea		0	4
Ixora alba		0	8
" coccinea	••	0	8
,, macrothyrsa	••	1	0
Jatropha curcas (ತುರುಕು ಅರಳು)		0	2
" multifida		0	4
Jasminum heterophyllum (ಮಲ್ಲಿಗೆ)		0	4
", rigidum		0	4
Justicia carnea		0	4
,, chrysantha	1	0	4
Kopsia fruticosa		0	8
Lagerstrœmia indica (Indian lilac)	••	0	4
", var. alba	4.	0	8
" Var. purpurea	••	0	8
Lantana, La Neige (white)	••	0	4
" L. Drapd' Or (yellow)		0	4
,, indica blue (ಕಾಡುಜೋಳ)	••	0	4
Lawsonia alba (ಗೋರಂಟ)		0	2
Ligustrum robustum synolea robusta (Privet)		0	4
Malpighia coccifera		0_	8
, glauca	••	0	4
" punicifolia (Barbadoes Cherry)	••	0	2
Meyenia erecta	••	0	2
" " var. alba		0	2
" " grandiflora		0	4
Montanoa bipinnatifida, Syn Polymnia grand	lis	0	4
Murraya exotica (China Box)		0	4
Myrtus communis (Myrtle) (ಕಣೆಗಲು)		0	6
Nerium odorum (Cleander)			
crimson (double)	••	0	4
,, pink (double)		0	4

		Rs. a	s.
Nerium pink (single)		0	2
" white (double)	••	0	4
,, ,, (single)		0	2
Nyctanthes arbor-tristis (ಪಾರಿಜಾತ)	• • 8	0	4
Ochna squarrosa (ಕನಕಚಂಪಕ)	••	0	4
Oarthosiphon stamineus		0	4
Panax Balfourii	••	0	4
" filicifolium	••	0	4
,, fruticosum	•••	0	4
,, plumatum		0	4
,, rotundus	7	0	4
,, Victoriæ		0	4
" Veitchii	••	0	4
Parkinsonia acculeata (Jerusalem Thorn)			
_ (ಮುಳ್ಳುಜೀನಂಗಿ)	••	0	2
Plumbago Capensis (Blue) (ಚಿತ್ರಮೂಲ)	••	0	2
,, alba (white)	••	0	4
,, Zeylanica (white)	••	0	2
Poinciana pulcherrima Syn. caesalpinia pulcherrina (Gultora)	•••	0	4
Poinsettia pulcherrima Syn. Euphorbia			
pulcherrina	••	0	4
" pulcherrima plenissima (double)	•••	0	6
", " var. alba		0	4
Polymnia grandis Syn. montoroa bipiunatific	da	0	
(Tree Daisy)	••	0	4
Punica granatum flore pleno (Pomegranati)		0	4
Rauwolfia canescens	••	0	2
Rivina humilis	••	0	4
" spectabilis		0	6

Shrubs—concluded.

		Rs.	as.
Roupellia grata		0	4
Ruellia colorata		0	2
Russellia juncea	1.	0	4
Strobilanthus bicolor		0	4
,, dichotoma		0	4
Tabernæmontana coronaria			
(Moon beam) (double) (ನಂದಿವಾಟ)	••	0	4
,, Wallichi (single)		0	4
Tecoma chrysantha	••	0	4
" Smithii		0	4
" Stans		0	2
Thespesia lampas		0	4
Triphasia trifoliata		0	4
Verbesina gigantea		0	2
Vincaalba	••	0	2
" (periwincle)			
" major (purple)		0	4
,, rosea (rose)		0	2
", ", alba (white)		0	2
			100

3. Trees.

		Rs.	as.
Acacia arabica Babul (ಗೊಬ್ಬ, ಕರಿಜಾಲ)		0	2
,, catechu (Brownbarked Acacia) (ಕಗ್ಗಲ	ಕಾಚು)	0	2
,, concinna (Soapnut Acacia) (ಸೀಗೆ)		0	2
" Farnesiana (Fragrant Acacia)			
(ಕನ್ತೂರಿಜಾಲ)	•••	0	4
,, ferruginea (బన్ని)	•••	0	4
,, leucophloea (ಬಿಳಿಜಾಲ, ನಾಯಿಜೇಲ)		0	4
,, suma (ಮುಗ್ಲಿ)		0	4
Acrocarpus fraxinifolius (Shingle Tree) (50%	ಗೆ)	0	3
Adenanthera pavonina (Red wood Tree) or (Sercassian Bean) (ಕೆಂಪು ಗರುಗಂಜಿಮ	ರ) .	0	4
Aleurites moluccana (Belgaum Walnut tree)		0	4
,, montana		0	4
Alstonia scholaris (ಜಂತಲಬಾಗೆ ಮದ್ದಾರೆ)		0	4
Albizzia amara (ಚುಜ್ಜಲು, ಚಗರೆ)		0	4
,, Lebbek (Siris) (బిల్వార)		0	4
,, moluccana		0	4
,, odoratissima (ක්පාූර)		0	4
,, Richardiana (ස්පූමු)		0	4
,, stipulata (ಹೊಟ್ಟೆಬಾಗೆ, ಕಲ್ಲುಬಾಗೆ)		0	4
Amoora canarana (ಹೊಟ್ಟನೂಲ)		0	4
,, Rohituka		0	4
Anda Gomesii		0	4
Araucaria Cookii (Caledonian Pine)		0	8
Artocarpus integrifolia (Jak Tree) (ಹೆಲಸು)	••	0	4
,, hirsuta (Wild Jak) (ಹೆಬ್ಬಲನು)		0	.4
,, Lakoocha (ವಾಟೆ ಮರ)		0	4
Bambusa arundinacea (Common Bamboo)			
(ಹೆಬ್ಬಿದಿರು)	•••	0	4
,, vulgaris (Golden Bamboo)		0	8
Bassia longifolia (Wild Sapota) ಹಿಪ್ಪೇಮರ		0	4
,, latifolia (Mahwa Tree) (ಕಾಡು ಹಿಪ್ಪೆ)		0	4
Bauhinia (ಕಂಚುವಾಳ)	••	0	4
,, acuminata		0	4

Trees—continued.

		Rs. a	s.
Bauhinia Alba	J. see a	0	4
,, Hookerii	•	0	4
,, malabarica (ಬಸವನಪಾದ)		0	4
,, monandra		0	4
" purpurea	••	0	4
,, racemosa (ಕರಚ)		0	4
,, variabilis	••	0	4
" variegata (Napoleans Cocked-hat)	• • 15	0	4
Berrya Ammonilla (Trincomalee Wood)		0	4
Bignonia megapotamica	••	0	4
Bischofia javanica (ನೀಲಮರ, ಗೊಬ್ಬರ ನೇರಳೆ)	••	0	4
Bombax malabaricum (Syn. Beptophyllum).		0	4
(ಕೆಂಪು ಬೂರಗ) (Cotton tree)			
Brassaia actinophylla (Umbrella Tree)	••	0	4
Bursaria spinosa	•.•	0	4
Butea frondosa (Palas Kino Tree) ಮುತ್ತು ಗ		0	4
Callicarpa lanata	• •	0	4
" macrophylla	••	0	6
Calophyllum inophyllum (Alexandrian Laurel)	(ಸುರಹೊ	ನ್ನೆ)0	4
,, tomentosum (Poonspar) (బేబబ్బి)	••	0	4
,, wightianum (ಕಲ್ಲುಹೊನ್ನೆ)		0	4
Careya arborea (ලූපහ)	••	0	4
Cassia fistula (Indian Laburnum) (Golden cha	in)		
(इन्हें)	••	0	8
,, florida (Syn. C. Siamea) (ಸೀಮೆತಂಗಡಿ)	••	0	4
,, floribunda	••	0	4
" grandis (Pink cassia)	••	0	6
" Javanica (Cherry blossom Cassia)		1	0
,, marginata C. Roxburghii (Fragrant ca	ssia)	0	4
,, nodosa	••	0	6
" renigera	• •	1	0
Castanospermum australe (Moreton Bay Ches	tnut)	0	4

Trees—continued.		-	
Casuarina equisetifolia (The Tinian Pine) (Beef wood Tree or		Rs.	as.
Mile Tree (ਸ਼ਰਮਕ ਕਮਰ)		0	2
Cedrela odorata (White cedar the Toon Tree)		0	4
,, Toona (Red cedar (ನೊಗಮರ, ಗಂದಗಂದೆ)		0	4
Celtis australis		0	4
,, tetrandra (ಕರ್ಕಿ)		0	4
,, wightii (ಹಿಲ್ಲೆ)		0	4
Chloroxylon Sweitenia (Satin-wood tree) (ສັນປັກບາ)		0	4
Citharexylon subserratum (Fiddle wood tree)		0	4
Cochlospermum gossypium (ಅರಿಶಿನ ಬೂರಗ)		0	8
Colvillea racemosa (Sunset Tree)		0	6
Cordia mc'leodii (ಅಡಗ)		0	4
,, Myxa (ಚಳೆ, ಚೊಟ್ನ)		0	4
,, Rothii (ನರವಾಳ)		0	4
,, sebestina		0	4
Couroupita guianensis (Cannon Ball Tree) (สำหรองกั)		0	8
Cratdeva religiosa (నిర్మాల)		0	6
Cryptocarya wightiana (ಗುರ್ವಾರ)		0	8
Cupressus arizonica		0	8
" Benthami	•	1	0
,, funebris		0	8
,, Lawsoniana		0	8
" macrocarpa		0	8
" sempervirens (Upright Cypress)		1	0
Dalbergia latifolia (Rose wood) ฆเย		0	4
,, Sissoo (S <i>issoo</i>) (ಸಿಸು)		0	2
Dendrocalamus strictus The Male Bnmboo			
(ಕಿರಿಬಿದರು) Dellenia indica (ಜೆಟ್ಟಗಣಿಗಲು)	••	0	4 8
Diptero carpus indicus (Wood oil tree) (תֹאַת)		1	0
Diospyros montana ((Mountain Ebony)			
(ಜಗಳಗಂಟಿ ಮರ) ,, ebenum (<i>Elony or Blackwood</i>) (ಕರಿಮು	3)	0	4
,, epenum (Biong of Blackwood) (80000	1	0	4

Trees—continued.		D-	
		Rs.	
Diospyros montara embryopteris (Gaubtree)	••	0	4
Ehretia laevis (ಹತ್ತಿಪ್ಪಾ)	• •	0	8
Elaeocarpus ganitrus (ರುದ್ರಾಕ್ಷಿಮರ)	••	1	0
Eroidendron anfractuosum (Kopok) (ພິພຸພາດປາ	2)	0	2
Erythrina Indica (Indian Coral Tree) (ಹಾಲುವ	ಬಾಣ)	, 0	2
var alba (ಬಿಳಿಹಾಲುವಾಣ)		0	4
,, lithosperma		0	2
,, stricta, (ಕೀಚೆಗ)		0	4
,, Suberosa		0	4
,, umbrosa (mother of cocoa)	••	0	4
Eucalyptus acmenioides	••	0	4
,, bicolour (Black Box)		0	4
" Bosistoana (Ribbon Box)		0	4
,, citriodora (Lemon-scented Gum)	••	0	4
., cornuta (The Yete Tree)	• •	0	4
,, crebra (Narrow-leaved Iron Bark)	0	4
., globulus (Blue Gum)		0	4
,, Gunnii (Tasmanian Cedar Gum)		0	4
,, marginata (Jarrah)		0	4
,, paniculata (Red Iron Bark)	••	0	4
" resinifera		•0	4
,, rostrata (Red Gum)		0	4
,. saligna	••	0	4
Eugenia caryophyllaea (ಕನ್ನೇರಳೆ)	••	0	4
,, jambolana (Jamoon) (ನೇರಳಿ)		0	4
,, jambos (Rose apple) (ಪನ್ನೇರಳೆ)	••	0	4
,, latifolia	••	0	4
,, malaccensis (Malaya apple)		0	8
Ficus asperrima (Sand paper tree) (กิปัติฐ)	••	0	6
" Benjamina (Java Fig)		0	6
,, bengalensis (Banyan) (ಅಲದಮರ)	••	. 0	4
" glomerata (Country Fig) (🖦)		0	4
" indica (ಗಿಲಕೆ ಮರ)	••	0	4
,, infectoria (ಕರಿಬಸರಿ ಮರ)		0	4

Trees—continued.

		Rs.	as.
Ficus Krishna (ಕೃಷ್ಣ ಆಲ)	• •	1	0
,, mysorensis (ಗೋಣಿಮರ)	• •	0	4
,, nitida (Barbodos Evergreen)	• •	0	4
,, religiosa (Pepul tree) ಅರಳಿಮರ	• • •	0	4
,, retusa (ඪ(පාව)	••	0	4
,, Tjakela, (ಸೆಲುವಾರದ ಮರ)		0	4
,, Tsiela, (ಬಿಳಿ ಬಸರಿಮರ)		0	4
Filicium decipiens (Fern-leaved Tree)		0	4
Garcinia Cambojia (ಅರದಾಳದ ಮರ)		0	8
,, Xanthochymus		0	8
Garuga pinnata (ಬೋಳ ಅಮಟೆ)		0	4
Gauzuma tomentosa (Bastard Cedar) (ಭದ್ರಾಕ್ಷಿ ವ	ಗುರ)	0	4
Gliricidia maculata (Syn. Lanchocerpus rose	us)	0	4
Gluta travancorica		0	4
Gmelina arborea (ಕೂಲಂನಿವನೆ)		0	4
Grewia tiliae fotia or (ਭಡಸಲು)		0	4
Grevillea robusta (Silver Oak Silky oak)		0	4
Guacaceum officinale (Tignum vitae)	.2	0	8
Haematorylon compechianum (Logwood)		. 0	4
Hardwickia binbata (ಕರಾಚಿ, ಕಮರ)		0	4
Heptapleurum venulosum		0	8
Heritiera littoralis (Looking Glass Tree)	••	0	4
Holarrhena antidysentirica		0	8
Hopea parviflora (ಕಿರುಳು ಭೋಗಿ)		0	8
Hymenaea courbaril (Locust Tree)	••	0	3
Inga dulcis (Madras thorn) (ಕೊರಕವಿಳೆ)	••	0	2
Ixora parviflora (Torch Tree) (గురచి)		0	4
Jacaranda mimosæfolia		0	6
Juniperus procera (Pencil Cedar)	••	0	6
Kiggelia pinnata (Sausage tree)		0	4
Lagerstroenia Flos-Reginae (Pride of India)		0	8
್ರ, ,, rosea (Queen of Flowers) (ಹೊಳೆದ	ಾಸುವಾಳ)	0	8
Lonchocarpus roseus Syn. Gliricidia maculata		0	4

Trees—continued.

		Rs.	as.
Macadamia ternifolia (Australian Nut Tree)		0	8
Mangifera indica (ಮಾವು)	••	0	4
Melia Azadirachta (Neem or margoza) (బేలు)	••	0	3
,, Azedarach (Syn. M. Sempervirens) (Per lilac) beed tree (జుజ్మ జోవు)	rsian	0	3
,, dubia (Syn. M. Composita and M. Rol (Giant neem.) (జేట్మే(లు)	busta)	0	4
Mesua ferrea (Iron wood Tree) (จากเล่นก์)		1	8
Michelia champaca (Seedling) (ਨਾਂਡਰੀ) (Syn. M. Aurantiaca)		0	4
,, ,, (Graft)	••	0	12
Millingtonia hortensis (Syn. Bignonia Subero	sa)		
(Burmese Cork Tree.)		0	4
Mimusops Elengi (ಪಗಡೆ, ಬಕುಳ, ರಂಜ)	••	0	4
Moringa pterygosperma (Horse Radish Tree)			
(ನುಗ್ಗೆ)	••	0	4
Nauclea orientalis	••	0	8
Nephiliun longana (ਵੈoਧਾਰ)	••	0	4
Ochrocarpus longifolius (ಸುರಗಿ)	••	0	4
Parkia biglandulosa	••	0	4
Parmentiera cereifera (Candle Tree)		0	4
Pavetta indica (ಪವಚೆ)	••	0	4
Peltophorum ferrugineum		0	4
Pithecolobium dulce (Syn. Inga dulcis)		0	2
" saman (Rain Tree)		0	4
Plumeria acuminata Syn. acutifolia		0	4
" (Temple or Pagoda Tree) or Farang	gipasri		
(ದೇವಗಣಗಲು)	••	0	4
" alba	••	0	4
" hybrida	••	0	8
" rubra (Red Temple Tree)	pr • •	0	8
Poinciana elata, (ವಾದನಾರಾಯಣ)	• •	0	4
Poinciana Regia (Gulmohur) Flamboyanta (ಕತ್ತಿಕಾಯ, ಚನ್ನಕ್ಕೆಸರಿ)	••	0	4

Trees—cantinued.

		Rs.	a.
Polyalthia longifolia (Syn-Guatteria longifolia)		0	4
Madras Asoka.		0	2
Pongamia glabra (Indian Beech) (ಮೋಗೆ)	• •		0
Podocarpus neglectus	••	1	
" chinensis	••	1	0
,, taxifolia	••	1	0
Prosopis juliflora	• •	0	4
Prosopis pubescens	••	0	4
" glandulosa	••	0	4
Pterocarpus marsupium (Kino Tree) ಹೊನ್ನೆ	••	0	4
Pterosperum acerifolium	••	0	8
" Hyneanum	• •	0	8
Putranjiva Roxburghii పక్రెజి(పి	••	0	6
Salix tetrasperma (Indian Willow) 2002	••	0	4
Santalum album (Sandalwood) (ಗಂಥದ ಮರ)	••	0	8
Sapindus emarginatus or S. trifoliatus (Soapri	ut		
tree) (5008) (9080004)		0	4
Saraca indica (Asoka Tree) ಅಕೋಕ	••	0	6
,, Cauliflora	•	0	6
Schinus molle (Bastard Pepper Tree)	••	0	8
Sideroxylon tomentosum (Syn. achras or Sap	ota		0
Elengoides) ಕಂಪ್ಯೂಲ		0	8
Spathodea campanulata (ನೀರುಕಾಯಿ)	••	0	4
Sterculia acerifolia	• •	0	8
" alata	••	0	4
" colorata	••	0	4
" diversifolia (Currajong)	••	0	6
,, factida (ঞ্জেচ্চ)			
Stereospermum chelonoides (ಪಾದರಿ)	••	0	6
suaveolens (ಬಿಳಿ ಪಾದರಿ)	••	0	4
" xylocarpum (ಕೋಣನ ಕೊಂಬು, ಅಂಗದಾರಿ)	0	4
Swietenia Mahagoni (Mahogony) (ಮಹಾಗನಿ)	••	0	4
,, mecrophylla (Large-leaved Mahogar	ıy	0	4
Tamarindus indica (ಹುಣಿಸೆ)		0	2
		2*	

3. Trees—concluded.

A CONTRACTOR OF THE CONTRACTOR	Rs.	as.
Tectona grandis (Teak) ತೇಗ	0	4
Terminalia arjuna (బిళి మెక్తి)	0	4
" belerica Syn. Beleriemyrobolan (తారి)	0	4
" catappa (Indian almond)	0	4
" Chebula Syn. Chebulic myrobalan		
(සදුල්.)	0	4
,, tomentosa (కరిపోత్తి)	0	4
Thespesia populnea (Portia or Indian Tulip Tree)		
್ (ಹೊವರಸಿ ಮರ)	-0	4
Thevetia neriifolia (Exile Tree)	0	2
Thuja orientalis (Arbor vitae)	0	8
Trewia nudiflora (ฮาฒรคมช)	0	4
Vateria indica (Indian copal or Pinly varnish		
Tree) (ಮೆಡ್ಡಿ ದೂಪ ಗುಗ್ಗಲ)	0	4
Wrightia tinctoria (Ivory wood) ಬೆಪ್ಪಾಲೆ	0	4

4. Foliage Plants.

		Rs. as.
Ærua sanguinoleuta		0 4
Aglaonema commutatum	•••	0 4
,, pictum	••	0 8
" versicolor		0 6
Alloplectus Lynchii	••	0 6
Alternanthera amabilis (for small basket)		0 8
", ", amoena do	••	0 8
Anthurium Andreanum	••	1 0
,, Crystallinum	••	1 0
" Bakeri	• •	0 6
" Scherzerianum (Flamingo flower)		5 0
,, grande		0 8
,, insigne	••	0 12
" magnificum	••	1 0
,, Veitchii	••	10 0
" Warocqueanum	••	1 0
Asparagus acerous		0 4
,, plumosus	• •	0 4
,, nanus		0 8
" officinals		0 4
" Sprengeri (Emaraed Feather)	••	0 4
Aspidistra lurida		0 4
", " variegata	••	0 8
Begonia echinosepala	••	0 8
,, fuchsioides	••	0 4
,, Ingramii		0 8
" lobulata	••	1 0
,, margaritacea		0 6
" President Carnot	••	0 8
" Rex, Her Majesty		1 0
" " His Majesty	••	1 0
" " The Queen	••	1 0
" ,, Other varieties	••	0 8
· · · · · · · · · · · · · · · · · · ·		

Foliage Plants—continued.

		Rs. As.
Calathea, see Maranta		
Cineraria maritima		0 4
Coleus gorden varieties		0 2
Cordyline (club plam) Syn. Taetsia		
" australis		0 4
" reflexa	••	0 4
,, terminalis		0 8
Dracaena albicans		0 8
" argenteo-striata		3 0
", arborea		0 6
" Deremensis Bausei		10 0
" Draco (Dragon tree)		2 0
" ferrea	••	0 8
" fragrans	••	0 8
" " Hindenii	••	0 8
" Godseffiana		2 0
" Goldieana	••	2 0
,, gracilis		0 8
" Hookeriana		0 8
,, marginata		0 8
,, Norwoodiensis		1 0
, Robinsoniana	• •	0 8
" Sanderiana		1 0
" surculosa	•	0 4
,, thalioides	••	0 4
,, The Queen		1 0
Dieffenbachia Bausei Syn. Dpicta		1 0
, Bowmannii		0 8
", Jenmannii		0 8
" magnifica		1 0
,, Regina		0 8
" Rex	•••	0 12
" Sanderae		1 0
	•	

Foliage Plants—continued.

	Rs. a	s.
Evodia elegans	0	4
Farfugium grande	0	4
Fittonia argyroneura	0	2
" rubronervum ···	0	4
,, rubrovenosum Syn. F. Verschaffellii	0	4
Heliconia aureo-striata	0	4
", rubra	0	4
illustris · · ·	0	8
Hoffmania Ghiesberghtii	1	0
" refulgens	1	0
Iresine Herbstii acuminata	0	2
Lobelia esculenta (Neilgherry Grass)	0	2
Lavendula spica (Lavender)	0	4
,, Vera (common lavender)	0	4
Maranta arundinacea (Indian arrowroot)	0	4
Pollo	0	8
hicolor	0	6
ingianig	0	6
Kerchoviana (now Calathea kerchoviana)	0	8
Lietzei	0	2
" Lina	0	6
,, massingiana (now Calathea massangeana)	2	0
", nitida ···	0	6
", picta	0	6
,, prasiana ···	0	8
" variegata ···	0	6
" zebrina (now Calathea zebrina)	0	6
Miconia Hookeriana	1	0
Musa Basjoo (Syn. M. japonica)	2	0
", coccinea	0	4
,, ensete ···	2	0
" superba	0	8
" zebrina ···	0	8

Foliage Plants—concluded.

		Rs. a	as.
Pandanus (Screw Pine)			
" Baptisti (Syn. P. dyereanus)		0	4
,, gracilis	••	0	8
" graminifolius	••	1	0
" luzonensis		0	4
,, odoratissimus Syn. P. Blancoi. (ಗೇ	ದಿಗೆ)	0	4
" pacificus	• •	0	8
" utilis (Syn. P.elegantissimus	••	0	12
,, Veitchi, bdeaned white	••	0	8
Peperomia arifolia (Pepper Elder)	••	0	2
., argyreia		0	4
", metallica	••	0	8
Philodendron gloriosum	• •	1	0
" pertusum (Syn. Monsteria del	iciosa)	0	8
" rubens	••	0	8
Ravenala madagascariensis (Travellers Tree)		0	8
Sanchezia nobilis		0	4
Schismatoglottis picta	• •	0	4
", siamensis	••	0	4
Strilitzia augusta		0	8
" Reginae (Bird of Paradise)	••	1	0
Strobilanthes anisophyllus (Gold-fussia)			
Syn. Rucllia anisophylla		0	2
" Dyerianus	••	0	4
Tradescantia Vittata (Spiderwort)	••	0	2
" zebrina (now Zebrina pendula	a)	0	4
Urania (see Ravenela)			
Vitis discolor	••	0	6
Wigandia caracassana (Syn. W. macrophylla	ı)	0	4
Xanthosoma Lindeni (Syn. Phyelotaenium			
Lindeni)	•••	1	0
", Violaceum	•••	0 2	8
Zantideschia, see schismatoglottis	•		

5. Flowering Plants—(Florist's Flowers).

		Rs. as.
Aster (Michaelmas Daisy)		
,, amellus (Italian Starwart)	••	0 2
,, Egwin	••	0 2
" Faltham Blue "		0 2
" Lady Lloyd "	••	0 2
" Mentor "		0 2
,, White Queen		0 2
Angelonia grandiflora		0 4
,, alba		0 4
Beloperone oblongata		0 4
Billbergia cannæfolia		0 4
", escapa	••	0 4
" pyramidalis		0 4
,, rosea		0 4
,, zebrina		0 8
Chrysanthemum indicum (ಶಾವಂತಿಗೆ) in vars.		0 2
,, frutescens (marguerite)		0 4
Cryptanthus nutans		0 4
Dianthus caryophyllus (Carnation in vars.)	2.	0 4
Delphinium hybrida		0 8
Fuchsia fulgens		0 8
,, in vars		
Gazania splendens (Treasure-flower)	••	0 2
Geranium.		
(SEE PELARGONIAM ZONALE.)		
Geranium Cuttings, mixed	per	doz. 0 12
Gerbera Jamesonii (Barberton Daisy)	••	0 2
,, hybrids		0 4
Heliotropium peruvianum (Heliotrope, Chern	ry	
Pie, Turnsole)	•••	0 4
Hydrangea paniculata	• •	0 8
Impatiens Hookeriana	••	0 2
" Holstii	•••	0 2

${\bf Flowering\ \ Plants-(Florist's\ Flowers)--} concluded.$

		Rs. a	is.
Impatiens hybrida	••	0	4
" delicata		0	4
", nana amabilis		0	2
" Liegnitzia		0	6
", Sultani	-A. T	0	2
Myosotis palustris (Forget-me-not, Scorpion			
grass)	•••	0	2
Pelargonium Zonale (Zonal Geranium)		0	8
Pentas carnea	••	0	2
Pentstemon companulatus (Beard Tongue)	• •	0	4
Pitcairnea heterophyla	••	0	4
Phlox paniculata (Perennial Phlox)	••	0	4
Primula obconica	••	0	4
Rudbeckia purpurea		0	4
Saintpaulia ionantha (violet)	W. B	0	6
,, Violencense (deep violet)		0	6
Salvia (Sage Clary)		0	2
" azurea grandiflora Syn. S. Pitcheri (bl	(ue)	0	2
,. coccinea (scarlet)		0	2
,, farinacea (violet blue)		0	2
" involucrata var. Betheeli (rosy crimso	n)	0	6
,, lencantha (lavender white)		0	4
,, nutans (violet)		0	2
" patens (blue)		0	2
" patens alba (white)		0	2
,, splendens (rich scarlet)		0	2
,, sylvestris (purple)		0	2
Scutellaria andamanica (Helmet flower, skull	l-cap)	0	2
Stachytarpheta coerulea (Bastard Vervain)		0	4
" rosea		0	4
Streptocarpus kewensis (Cape primrose)		0	4

6. Bulbous plants.

]	Rs.	as.
Amaryllis class I	400	1	0
" class II	••	0	8
,, class III		0	4
Achimenes tubiflora in vars, dried bulbs	per dozer	0	8
Agapanthus umbellatus (African blue Lily) each	0	8
,, alba	••)	0	12
Alocasia antiquorum	•	0	2
" alba	• •	0	8
" gigantea	••	0	8
" indica		0	2
" Johnstonii	••	0	8
" dentata var. Thibautiana		0	8
,, Lindeni		1	0
" macrorhiza variegata	1000 PM	0	8
" metallica	1.	1	0
" Roezlii		0	4
" tigrina		0	8
" violacea	0.00	0	4
,. zebrina	•••	0	8
Alpinia vittata	••	0	8
Arum aethiopicum (Arum Lily)		0	8
Begonia, tuberous rooted, single	••	0	8
,, ,, double		1	0
" " crested		0	8
Belamcanda punctata	# · ·	0	6
Bowiea volubilis	••	0	6
Caladium bicolor Syn. C. pictum		1	0
" good varieties			
Canna Admiral Avillan	1 to	0	2
,, Ami J. Cheretian		0	2
" Antoine Berton		0	2
", Austria		0	2

Bulbous plants—continued.

			Rs.	as.
Cann	a Aurea		0	2
,,	iridiflora var. Ehmanni		0	4
13	Bavaria		0	2
,,	Black Prince		0	2
33	Boule D'or	••	0	2
٠,	Butterfly	••	0.	4
,,	Carl Hassmann		0	4
,,	Cleopatra		0	2
,,	Conquerante		0	2
,,	Dr. Erwin Ackerknecht		0	6
٠,	Dr. Marcus	37.1	0	4
"	Director M. Holtze		0	6
,,	Edonard Andre		0	2
,,	Egendale	••	0	6
,,	Emperor William		0	6
,,	Ernest Routh		0	2
,,	Francois Crozy		0	6
,,	Frau Geheimrat		0	6
"	" Martha Skopnik		0	6
,,	,, Martha Swan		0	2
,,	Fritz Hufelt		0	6
,,	Fuerst Bismark	• •	0	2
,,	" Wied	enced to	0	2
,,	Gaekwar of Baroda		0	4
,,	General Merkel		. 0	2
,,	George King	Started at	0	2
"	Graf M. Tolstoi	4. Til. 140	0	6
,,	Half-gartener A. Eisenbarth	7.00.00 VI	0	6
,,	Hermann Fisher		0	2
,,	Herzog Van. Otrante		0	6
"	Hofgarten-Director Graebener		0	2
"	Isabella Breitschwerdt	all on the	0	6
,,	Italia	· Santa	0	2

Bulbous Plants—continued.

Canna John Tuelett 0 2 Konigin der Gelben 0 4 Konsul W. Vellnagel 0 6 Kronprinzessin Cecilie 0 6 Le Bally 0 2 Le Emperor 0 2 Le Legionaire 0 2 Luis Dittmann 0 6 Luray 0 2 Madame Allemagna 0 2 Madame Allemagna 0 2 J. Aymard 0 2 J. Aymard 0 2 Meteor 0 2 Monte Rosa 0 2 N. Rosen Kranzer 0 6 Peach Blow 0 2 <			j	Rs. a	as.
"Konsul W. Vellnagel 0 6 "Kronprinzessin Cecilie 0 6 "Le Bally 0 2 "Le Emperor 0 2 "Le Legionaire 0 2 "Luis Dittmann 0 6 "Luray 0 2 "Madame Allemagna 0 2 "Madame Allemagna 0 2 "F. Vioney 0 2 "J. Aymard 0 2 "Meteor 0 2 "Monte Rosa 0 2 "N. Rosen Kranzer 0 6 "Paestum 0 2 "Peach Blow 0 2 "Prinzessin L. Von Ratibor 0 2 "Prinzessin L. Von Ratibor 0 6 "Professor Treub 0 2 "P. T. Berkins 0 2 <td>Cann</td> <td>a John Tuelett</td> <td>.1</td> <td>0</td> <td>2</td>	Cann	a John Tuelett	.1	0	2
, Kronprinzessin Cecilie 0 6 , Kronprinzessin Cecilie 0 6 , Le Bally 0 2 , Le Emperor 0 2 , Le Legionaire 0 2 , Luray 0 2 , Madame Allemagna 0 2 , Madame Allemagna 0 2 , F. Vioney 0 2 , J. Aymard 0 2 , Meteor 0 4 , Monte Rosa 0 2 , N. Rosen Kranzer 0 6 , Paestum 0 2 , Peach Blow 0 2 , Perseus 0 2 , Phoebe 0 2 , Prinzessin L. Von Ratibor 0 6 , Professor Hugo De Vries 0 2 , Professor Treub 0 2 , P. T. Berkins 0 2 , Queen Charlotte 0 2 , Rodadel 0 2	1	Konigin der Gelben		0	4
"Kronprinzessin Cecilie" 0 6 "Le Bally 0 2 "Le Emperor 0 2 "Le Legionaire 0 2 "Luis Dittmann 0 6 "Luray 0 2 Madame Allemagna 0 2 "F. Vioney 0 2 "J. Aymard 0 2 "Meteor 0 4 Monte Rosa 0 2 "N. Rosen Kranzer 0 6 "Paestum 0 2 "Peach Blow 0 2 "Perseus 0 2 "Phoebe 0 2 "Prinzess Banicora 0 2 "Prinzessin L. Von Ratibor 0 6 "Professor Hugo De Vries 0 2 "Professor Treub 0 2 "P. T. Berkins 0 2 "Rud Seidel 0 2 "Rosea unique 0 2 "Rosea unique 0 2 "Semaphore 0 <td< td=""><td></td><td></td><td></td><td>0</td><td>6</td></td<>				0	6
"Le Emperor 0 2 "Le Legionaire 0 2 "Luis Dittmann 0 6 "Luray 0 2 "Madame Allemagna 0 2 "Madame Allemagna 0 2 "F. Vioney 0 2 "J. Aymard 0 2 "Meteor 0 4 "Monte Rosa 0 2 "N. Rosen Kranzer 0 6 "Paestum 0 2 "Peach Blow 0 2 "Perseus 0 2 "Princess Banicora 0 2 "Prinzessin L. Von Ratibor 0 2 "Prinzessor Hugo De Vries 0 2 "Professor Treub 0 2 "P. T. Berkins 0 2 "Rud Seidel 0 2 "Romagna 0 2 "Rosea unique 0 2 "Semaphore 0 2 "Souvr. de Antoine Crozy 0 6				0	6
"Le Emperor 0 2 "Luis Dittmann 0 6 "Luray 0 2 "Madame Allemagna 0 2 ", F. Vioney 0 2 ", J. Aymard 0 2 ", Meteor 0 2 ", Monte Rosa 0 2 ", N. Rosen Kranzer 0 6 ", Paestum 0 2 ", Perseus 0 2 ", Perseus 0 2 ", Princess Banicora 0 2 ", Princess Banicora 0 2 ", Princessin L. Von Ratibor 0 6 ", Professor Hugo De Vries 0 2 ", Professor Treub 0 2 ", Rud Seidel 0 2 ", Romagna 0 2 ", Romagna 0 2 </td <td></td> <td></td> <td></td> <td>0</td> <td>2</td>				0	2
"Luis Dittmann 0 2 "Luray 0 2 "Madame Allemagna 0 2 ", F. Vioney 0 2 ", J. Aymard 0 2 ", Meteor 0 4 ", Monte Rosa 0 2 ", Monte Rosa 0 2 ", N. Rosen Kranzer 0 6 ", Paestum 0 2 ", Peach Blow 0 2 ", Perseus 0 2 ", Profese 0 2 ", Prinzessin L. Von Ratibor 0 6 ", Professor Hugo De Vries 0 2 ", Professor Treub 0 2 ", Professor Wallace 0 2 ", Rud Seidel 0 2 ", Romagna 0 2 ", Romagna 0 2			•	0	2
" Luray 0 6 " Madame Allemagna 0 2 " J. Aymard 0 2 " J. Aymard 0 2 " Meteor 0 4 " Monte Rosa 0 2 " N. Rosen Kranzer 0 6 " Paestum 0 2 " Peach Blow 0 2 " Perseus 0 2 " Princess Banicora 0 2 " Princess Banicora 0 2 " Princessor Hugo De Vries 0 2 " Professor Treub 0 2 " P. T. Berkins 0 2 " Rud Seidel 0 2 " Romagna 0 2 " Rosea unique 0 2 " Semaphore 0 2 " Souvr. de Antoine Crozy 0 6			*	0	2
" Luray 0 2 " Madame Allemagna 0 2 " " F. Vioney 0 2 " J. Aymard 0 2 " Meteor 0 2 " Monte Rosa 0 2 " N. Rosen Kranzer 0 6 " Paestum 0 2 " Perseus 0 2 " Perseus 0 2 " Phoebe 0 2 " Princess Banicora 0 2 " Prinzessin L. Von Ratibor 0 6 " Professor Hugo De Vries 0 2 " P. T. Berkins 0 2 " Rud Seidel 0 2 " Romagna 0 2 " Rosea unique 0 2 " Souvr. de Antoine Crozy 0 6			•	0	6
" Madame Allemagna 0 2 " J. Aymard 0 2 " J. Aymard 0 2 " Meteor 0 4 " Monte Rosa 0 2 " N. Rosen Kranzer 0 6 " Paestum 0 2 " Peach Blow 0 2 " Perseus 0 2 " Princess Banicora 0 2 " Princess Banicora 0 2 " Prinzessin L. Von Ratibor 0 6 " Professor Hugo De Vries 0 2 " Professor Treub 0 2 " P. T. Berkins 0 2 " Rud Seidel 0 2 " Romagna 0 2 " Romagna 0 2 " Romagna 0 2 " Semaphore 0 2		Luray		0	2
""" """ F. Vioney 0 2 """ J. Aymard 0 2 """ """ 0 2 """ Meteor 0 4 """ Monte Rosa 0 2 """ N. Rosen Kranzer 0 6 """ Paestum 0 2 """ Peach Blow 0 2 """ Perseus 0 2 """ Phoebe 0 2 """ Princess Banicora 0 2 """ Princess Banicora 0 2 """ Princessin L. Von Ratibor 0 6 """ Professor Hugo De Vries 0 2 """ P. T. Berkins 0 2 """ Rud Seidel 0 2 """ Romagna 0 2 "				0	2
,, Crozy 0 2 ,, Monte Rosa 0 2 ,, N. Rosen Kranzer 0 6 ,, Paestum 0 2 ,, Peach Blow 0 2 ,, Perseus 0 2 ,, Prosesus 0 2 ,, Princess Banicora 0 2 ,, Prinzessin L. Von Ratibor 0 6 ,, Professor Hugo De Vries 0 2 ,, Professor Treub 0 2 ,, Rud Seidel 0 2 ,, Rud Seidel 0 2 ,, Romagna 0 2 ,, Rosea unique 0 2 ,, Souvr. de Antoine Crozy 0 6				0	2
,, Meteor 0 4 ,, Monte Rosa 0 2 ,, N. Rosen Kranzer 0 6 ,, Paestum 0 2 ,, Peach Blow 0 2 ,, Perseus 0 2 ,, Phoebe 0 2 ,, Princess Banicora 0 2 ,, Prinzessin L. Von Ratibor 0 6 ,, Professor Hugo De Vries 0 2 ,, Professor Treub 0 2 ,, P. T. Berkins 0 2 ,, Queen Charlotte 0 2 ,, Rud Seidel 0 2 ,, Romagna 0 2 ,, Rosea unique 0 2 ,, Semaphore 0 2 ,, Souvr. de Antoine Crozy 0 6	,,	" J. Aymard		0	2
,, Monte Rosa 0 2 ,, N. Rosen Kranzer 0 6 ,, Paestum 0 2 ,, Peach Blow 0 2 ,, Perseus 0 2 ,, Phoebe 0 2 ,, Princess Banicora 0 2 ,, Prinzessin L. Von Ratibor 0 6 ,, Professor Hugo De Vries 0 2 ,, Professor Treub 0 2 ,, P. T. Berkins 0 2 ,, Queen Charlotte 0 2 ,, Rud Seidel 0 2 ,, Romagna 0 2 ,, Rosea unique 0 2 ,, Semaphore 0 2 ,, Souvr. de Antoine Crozy 0 6	,,	" Crozy	•	0	2
, N. Rosen Kranzer 0 6 , Paestum 0 2 , Peach Blow 0 2 , Perseus 0 2 , Phoebe 0 2 , Princess Banicora 0 2 , Princess Banicora 0 2 , Prinzessin L. Von Ratibor 0 6 , Professor Hugo De Vries 0 2 , Professor Treub 0 2 , P. T. Berkins 0 2 , Queen Charlotte 0 2 , Rud Seidel 0 2 , Romagna 0 2 , Rosea unique 0 2 , Semaphore 0 2 , Souvr. de Antoine Crozy 0 6	,,	Meteor .		0	4
" Paestum 0 2 " Peach Blow 0 2 " Perseus 0 2 " Phoebe 0 2 " Princess Banicora 0 2 " Prinzessin L. Von Ratibor 0 6 " Professor Hugo De Vries 0 2 " Professor Treub 0 2 " P. T. Berkins 0 2 " Queen Charlotte 0 2 " Rud Seidel 0 2 " Romagna 0 2 " Rosea unique 0 2 " Semaphore 0 2 " Souvr. de Antoine Crozy 0 6	,,	Monte Rosa .		0	2
"Peach Blow" 0 2 "Perseus" 0 2 "Phoebe" 0 2 "Princess Banicora" 0 2 "Professor Hugo De Vries 0 2 "Professor Treub 0 2 "P. T. Berkins 0 2 "Queen Charlotte 0 2 "Rud Seidel 0 2 "Romagna 0 2 "Rosea unique 0 2 "Semaphore 0 2 "Souvr. de Antoine Crozy 0 6	,,	N. Rosen Kranzer .		0	6
,, Perseus 0 2 ,, Princess Banicora 0 2 ,, Princess Banicora 0 2 ,, Princessin L. Von Ratibor 0 6 ,, Professor Hugo De Vries 0 2 ,, Professor Treub 0 2 ,, P. T. Berkins 0 2 ,, Queen Charlotte 0 2 ,, Rud Seidel 0 2 ,, Romagna 0 2 ,, Rosea unique 0 2 ,, Semaphore 0 2 ,, Souvr. de Antoine Crozy 0 6	,,	Paestum .		0	2
" Phoebe 0 2 " Princess Banicora 0 2 " Princessin L. Von Ratibor 0 6 " Professor Hugo De Vries 0 2 " Professor Treub 0 2 " P. T. Berkins 0 2 " Queen Charlotte 0 2 " Rud Seidel 0 2 " Richard Wallace 0 2 " Romagna 0 2 " Rosea unique 0 2 " Semaphore 0 2 " Souvr. de Antoine Crozy 0 6	,,	Peach Blow .	•	0	2
""">" Princess Banicora 0 2 """>""">""" Professor Hugo De Vries 0 2 """>""">""" Professor Treub 0 2 """>""">""" P. T. Berkins 0 2 """>""" Queen Charlotte 0 2 """>""" Rud Seidel 0 2 """>""" Richard Wallace 0 2 """>""">""" Rosea unique 0 2 """>""">""" Semaphore 0 2 """>""">""" Souvr. de Antoine Crozy 0 6	,,	Perseus .		0	2
""">"" Prinzessin L. Von Ratibor 0 6 """>""" Professor Hugo De Vries 0 2 """>""" Professor Treub 0 2 """>""" Professor Treub 0 2 """>""" Professor Treub 0 2 """ Professor Treub 0 2 """ Queen Charlotte 0 2 """ Rud Seidel 0 2 """>""" Richard Wallace 0 2 """>""">""" Romagna 0 2 """>""">""" Semaphore 0 2 """>""">""" Semaphore 0 2 """>""">""">""" Souvr. de Antoine Crozy 0 6 """>""">""">"""" Professor Treub 0 0 """">"""" Professor Treub 0 0 """">"""" Professor Treub 0 0 """" Professor Treub 0 0 """ Professor Treub 0 0 """ Rud Seidel 0 0	,,	Phoebe .	•	0	2
"Professor Hugo De Vries" 0 2 "Professor Treub 0 2 "P. T. Berkins 0 2 "Queen Charlotte 0 2 "Rud Seidel 0 2 "Richard Wallace 0 2 "Romagna 0 2 "Rosea unique 0 2 "Semaphore 0 2 "Souvr. de Antoine Crozy 0 6 "Souvr. de Centon 0 2	,,	Princess Banicora .		0	2
"Professor Treub" 0 2 "P. T. Berkins 0 2 "Queen Charlotte 0 2 "Rud Seidel 0 2 "Richard Wallace 0 2 "Romagna 0 2 "Rosea unique 0 2 "Semaphore 0 2 "Souvr. de Antoine Crozy 0 6 "Souvr. de Canton 0 2	,,	Prinzessin L. Von Ratibor .		0	6
""">" P. T. Berkins """>""" 0 2 """>""" Queen Charlotte """ 0 2 """ Rud Seidel """ 0 2 """ Richard Wallace """ 0 2 """>""" Romagna """ 0 2 """>""" Semaphore """ 0 2 """>""" Semaphore """ 0 2 """>""">""" Souvr. de Antoine Crozy """ 0 6 """>""">""">""" Souvr. de Centon """ 0 2	,,	Professor Hugo De Vries .	•	0	2
""">" Queen Charlotte 0 2 """>" Rud Seidel 0 2 """>" Richard Wallace 0 2 """>""">Romagna 0 2 """>""">""">""" Rosea unique 0 2 """>""">""">""" Semaphore 0 2 """>""">""">""" Souvr. de Antoine Crozy 0 6 """>""">""">"""">"""" 0 2	,,		•	0	
,, Rud Seidel 0 2 ,, Richard Wallace 0 2 ,, Romagna 0 2 ,, Rosea unique 0 2 ,, Semaphore 0 2 , Souvr. de Antoine Crozy 0 6 Souvr. de Centon 0 2	,,		•	0	
,, Richard Wallace 0 2 ,, Romagna 0 2 ,, Rosea unique 0 2 ,, Semaphore 0 2 ,, Souvr. de Antoine Crozy 0 6 Souvr. de Centon 0 2	,,	Queen Charlotte .	•	0	2
, Romagna 0 2 , Rosea unique 0 2 , Semaphore 0 2 , Souvr. de Antoine Crozy 0 6 Souvr. de Centon 0 2	,,		•	0	2
"Rosea unique 0 2 "Semaphore 0 2 "Souvr. de Antoine Crozy 0 6 Souvr. de Conton	,,,	Richard Wallace .	•	0	
" Semaphore 0 2 " Souvr. de Antoine Crozy 0 6 Souvr. de Conton	"	Romagna	•	0	
"Souvr de Antoine Crozy 0 6	,,		•	0	
Souve de Centen	,,		•	0	
" Souvr. de Ganton 0 2	,,,		•		
	"	Souvr, de Ganton •	•	0	2

Bulbous plants—continued.

		Rs. a	s.
Canna Sour. de President Carnot	6	0	2
" Stadtgartner Brehm	• •	0	2
" Star of India	100	0	2
" Stadrath Heidenreich	(10.0	0	4
" Suevia	•	0	6
" W. Watson		0	6
" Wilhelm Beck		0	2
" Wilhelm Bofinger	10 p.	0	4
Costus igneus	••	0	4
" speciosus	••	0	6
Crinum amabile	4	0	8
,, asiaticum		0	4
" longifolium		0	4
" Powellii	••	0	8
Crocosmia aurea		0	4
Dahlia, cactus	- p	0	8
,, Single	••	0	8
" Double _»	4 S. T.	0	8
Eucharis grandiflora	• • (100	0	4
Freesia refracta		0	8
Gesnera fulgida splendens	••	0	4
Gladiolus (Sword Lily also Corn Flag)		0	4
,, gandavensis	14.4	0	8
" Lemoinei	••	0	8
" primulinus	••	0 4	4
Gloriosa superba	••	0	4
Gloxinia maculata		0	2
" hybrids		0	8
Haemanthus multiflorus Syn. Habssinicus	and		
H. kalbreyeri	••		8
Iris Germanica	4000 a	"林"、" " · · · ·	8
Iris Gueldenstadtiana	•••		8
" japonica	••	0	8

Bulbous plants—concluded.

		Rs.	as.
Kaempferia Gilbertii	1	0	4
" rotunda		0	8
Lilium longiflorum (Trumpet Lily)	• •	0	8
" suephureum Syn. wallichianum			
superbum .		1	0
Montbretia Germania	• •	0	3
Nelumbium speciosum (Lotus sacred bean)			
(ಕೆಂದಾವರೆ)		0	8
Nymphaea alba (Water Lily White)	• •	0	4
" flava " (Yellow)	••	0	4
Pancratium fragrans, now Hymenocallis			
ovata		0	2
Polianthes tuberosa (Tuberose)		0	2
" flore pleno	••	0	4
Zephyranthes (Zephyr Flower) Andersonii,	Syn.		
Habranthus Andersoni		0	2
,, Atomasco Syn. Amaryllis			
atamosco Atamasco Lily	••-	0	2
" candida, Syn. Amaryllis candida	a, o		
(Peruvianswamp Lily)	••	0	4
"; rosea	•••	0	2
" tubispatha		0	2

N. B.—The best time for obtaining bulbs and tubers which rest from November to February is in March and April.

7. Ferns and Sellaginellas.

			Rs.	as.
Acrosticu	m lanceolatum	0.000	0	8
Adiantun	n aethiopicum (A. emarginatum)		0	4
***	Bausei	••	0	8
0	Capillus-veneris (Venus Hair) Brit Maidenhair)	ish	0	4
;,	Capillus, species		0	6
,,,	caudatum (Basket Maiden hair)		0	4
,,	concinnum		1	0
4. 69,	cuneatum		0	8
,,	,, gracillimum	••	1	0
· · · · · · · · · · · · · · · · · · ·	" Lawsoni		0	12
2 0 ,,	,, Legrandii	•	1	8
1 ,,	,, Pacotti	,	0	8
,,,	diaphanum Syn. A. setulosum		0	8
"	Farleyense (Sec A. tenerum farleyen	ce)	1	0
,,	Fergusoni		0	8
,,	fissum		0	8
,,	formosum		1	0
,,,	Funckii	••	0	12
j,	gracillimum (See A. cuneatun gracillinum)	ů.	1	0
,,	gracile		1	0
,,	intermedium (Syn. A. triangulatum)		1	0
,,	macrophyllum (tinted maidenhair)		0	6
"	Mooreii	•	0	8
"	Pacotti		0	8
,,,	pectinatum	••	1	0
,,	peruvianum		1	0
i,	tenerum	••	0	8
, ,,	" farleyense		1	0
"	trapeziforme		0	8
	" decorum (See A. bansei)		0	8

Ferns and Sellaginella-continu	ed.		
		Rs.	as.
Adiantum variegatum	••	1	8
,, villesum	••	. 1	0
,, venustum (Syn. A. microphyllum)	1	0
" wagneri (Syn. A. decorum)		0	8
Anemia adiantifolia	• •	1	0
Angiopteris evecta	••	2	0
Aspidium aculeatum (Syn. Polystichum acule Hara Shield Fern)	atum ••	0	8
,, auriculatum (Syn, P. aureculatum A. ocellatum)	and	0	8
Asplenium bulbiferum		1	0
,, dimorphum (Syn. diversifolium)		1	0
" furcatum (Syn. A. praemersum)	••	0	8
,, Nidus (Bird's Nest Fern)		4	0
" polypodioides	••	0	4
" sylvaticum		0	4
Blechnum Cartilagineum		0	12
" occidentale (Syn. B. glandulosum)	••	0	8
Davallia fijiensis	0.	1	0
" plumosa	••	2	0
,, Strigosa	••	0	8
Drynaria (See Polypodium)			
Goniopteris (See Polypodium)			
Gymnogramme suphurea (Gold Fern)		5	0
" tartarea (Silver Fern)	••	5	0
Lomaria gibba (Syn. Neocaledonica)		1	0
Lygodium japonicum (Syn. Ophioglossum			
Japenicum)	••	1	0
Nephrodium cicutarium	••	0	6
,, conterminium	••	0	6
,, cuspidatum	••	0	6
,, dissectum	•••	0	6
" molle	••	0	4
", patens_cristatum	••	3	0

Ferns and Selaginella—continued.

and a supplemental		Rs.	as.
Nephrodium polymorphum (Syn. sagenia			
polymorpha) .	• •	0	4
,, remotum		. 0	6
,, setigerum (Syn. Lastrea setigera)	0	6
Nephrolepis acuta (Syn. bisurata, splendens)	0	6
", var. turcans		0	6
" cordifolia var. Duffii		0	4
" davallioides furcans		0	6
exaltata	A	0	8
", " majus	1	0	8
,, ,, whitemami		0	8
,, marshallii (Lace Fern)	••	1	0
" rufescens var. tripinnatifida		0	6
species		0	4
Osmunda regalis Syn. Specibabilis The Roye	al		
Fern)		1	0
Pellæa (syn. Cliffl Brake Fern)			
" Cordata		0	6
", falcata		0	4
,, geraniifolia	•	0	2
Polypodium aureum Syn. phlebodium aure	eum)	0	8
" proliferum (Syn. Goniopteris pro	olifera)	0	6
,, quercifolium (Syn. Dryn aria			
quercifolia)	••	0	8
Pteris argyrea (Syn. quadrianrita argyraea)		0	8
,, cretica		0	6
" " Var. albo-lineata		0	6
" encifornus		1	0
" geraniifolia (See Pellaeageraniifolia			
" longifolia (Market Fern)		0	4
" ludens syn. Doryopheris ludens		0	4
" milneana		0	8
,, palmata		0	8
			-

Ferns and Selaginella—concluded.

		Rs.	as.
Pteris quadriaurita		0	8
", " argyræa (see. P. argyraea)			
" serrulata (Spider Fern)		0	6
., ,, cristata		0	8
" tremula (Australian Bracken)		0	6
" tripartita (see P. Milneana)	10.10	0	8
Selaginella caulescens		0	6
" Flagelliformis (see S. Plumosa)			
,, plumosa		0	4
" rubella		0	4
" serpens (syn. mutabilis)		0	6
" Willdenovii (syn. arborea)		0	8

8. Palms and cycads.

		Rs.	as.
Acanthophoenix crinita (Syn. areca coainita)	• •	1	0
Actinophlæus Sanderiana		1	0
Archonto phoennix Cunnighamii, (Syn.			
Seaforthia elegens)	••	2	0
Areca alba	••	0	8
,, catechu (Betel-nut Palm) (ಅಡಿಕೆ)		0	4
,, lutescens (now Chrysolidocarpus lutescens) (Mauritius Palm)		1	0
,, rubra	• •	1	4
" seycheliarum (See, Stevensonia grandif	olia)	1	0
,, triandra var. Bancana		1	0
Arenga disticha		1	0
" saccharifera (Sago Palm)		0	8
Attalea Cohune (Cohune nut)		2	0
Calyptrocalyx spicatus		1	0
Caryota mites		0	8
,, urens (Malabar Sago Palm)		0	4
Chamaedorea sorteri		0	8
Chamærops elegans		1	0
" excelsa		1	0
Chrysolidocarpus lutescens (Areca lutescens)		1	0
,, (madagascariensis)		0	8
Cocos nucifera (Cocoanut) (ತೆಂಗು)		1	0
,, cornuta	••	1	0
", plumosa	• •	1	0
", Romanzoffiana	• •	2	0
" Weddelliana		3	0
Corypha australis (Syn. hivistona australis)		1	0
" Gebanga (Syn. Gebenga rotundifolia)		1	0
" umbraculifera (Talipot Palm)		1	0
Cycas circinalis		0	8
" revoluta		1	0
Dypsis Madagascariensis		1	0

Palms and cycads—continued.

	Rs. as.
Elæis guineensis (African Oil Palm)	1 0
,, var. abepa	1 0
" " " " abedam	1 0
" , abobe	1 0
" " " ewakawaka	1 0
" " " Banga	1 0
,, ,, Lisambe	1 0
Heterospathe elata	1 0
Howea Belmoreana (Grisebachia)	1 8
" Forsteriana	1 8
Hyophorbe amaricaulis	2 0
,, Verschaffelti	1 8
Hydriostele wendlandiana	0 8
Kentia Sanderiana	1 0
" Macarthurii	0 8
Loxococcus Macarthuri	1 0
Latania aurea (L. Verschaffeltiv)	5 0
" rubza (Lommersi)	5 0
Licuala grandis (Pritchardia grandis)	1 0
,, peltata	1 0
Livistona altissima	1 0
" australis	1 0
" chinensis (Syn. mauritiana)	0 4
" Chinese Palmor (Fan-leaved Palm)	0 4
" rotundifolia	1 0
Martinezia (Aiphanes) caryotaefolia	0 8
,, tryncata	1 0
Oreodoxa oleracea (Cabbage Palm)	1 0
,, regia (Royal Palm)	1 0
Phoenix canariensis	1 0
,, dactylifera (Date Palm)	5 0
" farinifera	0 8
" humilis Roebelini	2 0

Palms and cycads—continued.

		•	
		Rs.	as.
Phoenix reclinata		0	8
,, rupicola	••	0	8
", spinosa (Conensis)	••	0	8
" sylvestris (Mysore Toddy Palm)			
(ಈಚಲು) (wild date)		0	8
" tenius		0	8
" zanzibariensis		0	4
" zeylanica		0	8
Pinanga kuhlii		2	0
" patula	Sharing to	1	8
Pritchardia filifera (See Washingtonia filifera)		1	0
" grandis (See Licuala gradis)		3	0
,, pacifica	•	3	0
" robusta	••	1	0
Ptychoraphis augusta		. 1	0
" Singaperrusis		5	0
Ptychosperma cunnighamiana (now			
Archentophoenix cunninghamii)		2	0
,, Macarthurii		0	8
" Singaporensis (Ptycoraphis	•	5	0
Singaperruses			
Raphia Ruffia Syn. R. Pedunculata (Raphia I	Palm)	2	0
" Vinifera Syn. R. Taedigera		1	8
(Bamboo Palm)			
Raphis flabelliformis (R. aspera) (ground Rattancane)		1	0
,, humilis (Syn. R. Sirotsik)		0	0
Rhopaloblaste Singaporensis (See Pty-	••	3	0
choraphis Singaporenis)		5	0
Sabal Adansonii (Dwarf Palmetto)			
" minor (See S. Adansonii)	••	0	8
" Palmetto (Syn. chaemaerops palmelta)		0	8
(Cabbage Palmetta)		0	8

Palms and cycads-concluded.

· 是一种的一种中心。	Rs.	as.
Seaforthia elegans (Archontophoenix cunninghamii)	2	0
" kuhlii (now Pinanga kuhlii)	2	0
Stevensonia grandifolia (Syn. Phoenico-		
phorium Seychellaum)	1	0
Thrinax argentia (Broom Palm)	1-	0
" barbadensis	1	8
,, parviflora (Palmatto Phatch)	1	0
Washingtonia filifera (Pritchardia filifera)	1	0

9. Roses.

	Name.	Description.	Rate.
			Rs. as.
1.	Alexandra, H. T	Fl. pale buff with orange, yellow centres apricot and bronze	0 8
2.	Boquet de Flora, B	Carmine pink, fl. in cluster.	0 8
3.	Cheshnut hybrid, H. T.	Purplish maroon, shaded with crimson	0 8
4.	Cl. Boquet de Flora, B.	Carmine pink, fl. in clusters scented	120-12-
5.	Cluster scarlet, H. P	Single scarlet fl. in clusters	12 0-12
6.	Coquette des Blanches, H. P.	Light yellow, changing to pure white semi-double, very free flowering.	0 8
7.	Countess of Meck- lenburg, T.	Sulphur yellow fl. in cluster	0 8
8.	Crimson Globe, moss.	Crimson fl. in cluster	0 8
9.	Devoniensis No. I, T.	Pale yellow, very large and full	0 8
10.	Dr. Andry, H. P	Dark bright red, very large full and fine form.	0 8
11.	Etoile de Lyon, T	Saffron yellow, bright in centre	
		very large and full	0 8
12.	Hiawatha, H. P	Dark Scarlet fl, in cluster	0 8
13.	Her Majesty, H. P	Bright satiny rose, very large and full	1 0
14.	Kaiserine Augusta Victoria, H. P.	Large white fl. centre orange yellow, floriferus	0 8
15.		Rose colour shaded with white and supressed with pale pink.	0 12
16.	La France, H. T	Beautiful pale peach, rosy centre, very large and full, scented	1 0
17.	Marie Guillot, T	White and large but does not open freely	0 8
18.	Maman Cochet (pink), T.	Pink, full and large fl	0 8
19.	Maman Cochet (white)		0 8
20.		White, slightly tinged with yellow.	0 12
21.	Mrs. Isace Periere, T.	Deep rose, full and large	0 12

Roses—concluded.

	Name.	Description.		Ra	te.
				Rs.	as.
22.	Mrs. B. R. Cant, T	Reddish pink, large an flowering var.	d free	0	8
23.	Madam Falcot T	Apricot-yellow, double f	ull fl.		8
24.	Madam Scipion Cochet T.	, Canary yellow shaded white, tipped with ros and double	with e large	0	8
25.	Madame Abel Chatenay, H. T.	Rosy Salmon, carmine, large and full	very	1	8
26.	Malmaision Rouge, T.	Deep rosy pink, large an	nd full	0	8
27.		Carmine in bud becorange pink, semi doubtree flowering.	oming	0	8
28.	Marechal Neil, T	Deep yellow, large and globular form, very scented	full, sweet	0	8
29.	Paul Neyron, H. P	Dark rose, very large an	d fine		
		form		0	12
30.	Perpetual white moss.	White scented, large clu	ster	0	8
31.		Cherry red also known Red Marchal Neil	as the	1	0
32.	Safrano, T	Bright apricot in bud che to buff	inging	0	8.
33.	Souv. de Catherine Guillot, H. T.	Salmon pink, semi-double free fl.	le and	0	8
34.		Flesh, edges blush, very and full	large	0	8
35.	Taesendschon	Soft pink to carmine re	ose in	0	8
36.	Tournefort, H. T	Rose, large and full fl.		0	8
37.		Deep scarlet crimson.		9	U
		red bud	DIOOU	0	8

10. Orchids.

	Rs.	as.
Aerides affine superba (Aerides)	0	12
" crispum (rose)	1	0
" multiflorum (purple)	0	12
" odoratum (white)	0	12
Bulbophyllum auricomum	0	4
Calanthe discolor (rose)	1	0
,, vestita (white)	1	0
Cœlogyne cristata (white)	1	0
", flaccida ", .	0	8
" mysorensis "	0	8
Cymbidium bicolor	0	8
Cypripedium (Lady's slipper or Mocassin flower) Fairieanum.	1	0
,, hirsutissimum (purple and green)	0	12
" Spicerianum (purple)	1	0
Dendrobium aureum Syn. D. hetero carpum. (Mouse-tail orchid).	0	8
" Bensonæ	0	8
" cambridgeanum Syn. D. ochreatum	0	8
,, chrysotoxum	0	8
" chrysanthum	0	8
,, crassinode	0	8
,, crepidatum	0	8
" cretaceum	0	8
" devonianum	0	8
" Draconis	0	8
" Falconeri	0	8
" fimbriatum	0	8
" fimbriatum var. oculatum	0	8
" gratiossisimum	0	8
" infundibulum	0	8
" Jenkinsii	0	8
" lituiflorum	0	8

Orchids—concluded.

	Rs. a	s.
Dendrobium moschatum (Syn. D. Calceolaria)	0	8
,, nobile	0	8
" Parishii	0	8
,, Pierardii	0	8
,, primulinum	0	8
Habeneria Suzanna (Butterfly orchis or		
Rein orchis)	0	2
Phaius grandifolius	0	8
" maculatus	1	0
" Wallichii " "	1	8
Renanthera Imschootiana	0	8
Saccalobium ampullaceum •	0	8
Thunia Marshalliana (Syn. Phajus Marshalliae)	0	8
Vanda (Cowslip-Scented orchid)	1	0
,, coerulea	.1	0
,, Parishii	0	8

11. Succulents.

			Rs. a	as.
Agav	va americana (American Aloe)		0	2
,,	", variegata	• •	0	4
,,	crucifera Jacobii		0	4
"	expansa		0	4
,,,	decipiens		0	8
"	ferox	••	0	6
"	filifera	• •	0	8
"	flaccifolia		0	4
,,	Franzosinii		0	8
"	Ghiesbrechtii	• •	0	4
,,	lophantha		0	8
"	neglecta		0	4
"	picta		0	4
,,	recurva	• •	0	4
,,	rigida	100	0	4
,,	" var. Sisalana (Sisal Hemp)		0	2
"	rupicola		0	4
,,	Salmiana		0	8
,,	striata		0	4
"	Woodrowii (A. angustifolia margina	ta		
	var. Woodrowii).	• •	0	8
,,,	Z apupe	•	0	4
Aloe	abyssinica .		0	4
,,	arborescens var. frutescens		0	4
"	Commutata		0	4
"	dichotoma		0	4
,,	eru .	•	0	2
,,	" var. commutata		0	4
,,	" " erecta		0	4
"	Ferox .		0	4
"	grandidentata		0	4
"	Hanburiana		0	4
,,,	latifolia		0	4
A STATE				

Succulents—concluded.

	Rs.	as.
Aloe obscura var. picta	0	4
" pulchra · · ·	0	4
,, purpurascens	0	4
" Salm-Dyckiana	0	4
" saponaria · · ·	0	4
" Schimperi	0	4
,, striata ···	0	4
,, stricta	0	4
, supralaevis	0	4
, Winterii	0	4
Cereus formosus · · · · · · · · · · · · · · · · · ·	0	8
" Martinii	0	4
,, tortuosus	0	4
Echeveria secunda	0	2
Fourcrya cubesens	0	2
" gigantia	0	2
" Lindeni	0	8
" Watsoniana	0	4
Gasteria species	0	8
Kalanchoe kirkii	0	4
Opuntia Vulgaris. Syn, Ficus-indica (Indian-fig	0	2
or prickly Pear).		
Pereskia bleo (Barbados gooseberry	0	2
Stapelia grandiflora	0	8
Sedum Aizoon	0	2
Yucca gloriosa (Spanish Bayonet)	0	4

12. Fruit Trees.

在新聞於了一個一個一個一個一個一個一個一個一個一個		Rs.	as.
Aberia caffra (Kci Apple)	1.100	0	8
Achras sapota (sapodilla (నెఫ్యేడిల్ల) seedling)		0	6
" " " graft	4.7	1	8
Aegle marmelos (Bael) සපුම්		0	4
Anacardifum occidentale (Cashew nut) ಗೇರು		0	6
Ananas sativa (Pine-apple)		0	4
Anona Cherimolia (Cherimoyer)		0	8
,, palustris (Monkey apple)		0	4
,, muricata (Sour Sop) ಮುಳ್ಳು ದುರಂಜಿ		0	12
,, reticulata (Bullock's heart) ರಾಮಪಲ	16915	0	4
,, squmosa (Custard apple) ಸೀತಾಫಲ		0	4
Artocarpus integrifolia (Jak) (జలను)		0	4
Averrhoa Blimbi (Billimbi) ພບວນ		0	4
,, carambola (Komarac) (ಕಮರಕ್)	w.x.	0	8
Carica papaya (Papai) (ಪಪ್ಪಾಯ)		0	4
Citrus aurantium (Orange) (ㅎ텔라) seedling		0	4
" graft		0	8
" Nagpur		1	8
Citrus decumana (Pumelo) (গ্রন্থর) seedling		0	4
" grafted	• •	0	8
Citrus limetta (Lime) (20は) seedling		0	4
" Grat		0	8
Cyphomandra betacca (Tree Tomato)	••	0	8
Eriobotrya Japonica (Loquot) (లక్కుక)		0	4
Eugenia Jambos (Rose apple) (ಪನ್ನೇರಳ)	. 9	0	4
" malaccensis	•••	0	6
,, michelli	••	0	4
Feronia elephantum (Wood apple) (దేల)		0	4
Ficus carica (Fig) (ಅಂಜೂರ)		0	4
Frageria vesca (Strawberry)	••	0	4
Mangifera indica (Mango ಮಾವು graft			
,, Badami (හාතාඨා)	••	1	0
,, Baramalda (ಬಾರಮಾಲ್ಡ್)		1	0

Fruit Trees--concld.

		Rs. as.
Mangifera Mulgoa (ಮರ್ಲ್ಲೋವ)		1 0
,, Neelum (న్యాలం)		1 0
,, Puttu (ಪುಟ್ಟು)		1 0
" Raspuri (ರಸಪುರಿ)		0 12
,, Sundershaw (ಸುಂದರ್ಶ)		1 0
Morus nigra (Mulberry Black) (కంబళ జాణ్య)		0 4
Musa paradisiaca (Banana) พาช	4 as	s. to 1 0
Nephelium Litchi (Litchi) ೮೫, seedling		0 4
,, Calcutta var		1 8
Phyllananthus emblica (Awla) ನೆಲ್ಲಿಕಾಯಿ		0 6
" distichus (Star Geoseberry) 30	ನೆಲ್ಲ	0 4
Psidium Guava var. pyriferum (Guava) ಚೀಪೆ		
seedling		0 4
" graft local		0 8
" Allahabad		2 0
Punica granatum (Pomegrante ಹಾಳಿಂದೆ seedli	ng)	0 4
,, (graft)	4.0	0 8
Prunus Persica (Peach) పిట్ట్విసు	٥.	0 8
Pyrus malus (Apple graft) ತೇಬು		1 4
Psidium cattleyanum (ಬೆಟ್ಟದ ಸೀವೆ)	4	0 8
Rubus lasicarpa (Raspberry)		0 4
Tamarindus indica (Tamarind tree) ಹುಣಿಸೆ		0 6
Vitis vinifera (Grape) ਛਹ ਤੂੰ		
local var		0 4
Australian vars.	••	1 0
Zizypus Jujuba (Bhere) ಬೋರೆ, ಯಲಚಿ	· .	1 8
" Calcutta var.		

13. Economic Plants.

		Rs. a	ıs.
Abrus precatorius (Wild Liquorice) (กังองก่อย	ತಿ)	0	4
Acacia catechu (Brown-barked Acacia) ಕಗ್ಳಲ		.0	4
Achillea millefolium (Yarrow)	THE T	0	2
Adenanthera pavonina (Red-wood Tree)			
(ಗುರುಗಂಜಿಮೆರ)		0	4
Agave Sisalana (Sisal Hemp) bulbils	per 1,000	15	0
,, ,, plants	do	25	0
Albizzia Lebbek (ಬಿಲ್ಪಾರ)		0	4
" moluccana		0	4
,, stipulata (ಹೊಟ್ಟೆಬಾಗೆ)		0	4
Aleurites moluccana (Belgaum Walnut)		0	4
Areca catechu (Areca Nut) (ಅಡಿಕೆ)	*	0	4
Artemisia vulgaris		0	2
Bassia latifolia (Mahwa Tree) (పిప్పే)		0	4
Bixa Orellana (Annatto) (ರಂಗುಮಾರೆ)	4.	0	4
Boehmeria nivea (Rhea or Ramie Fibre)			
(ಕಿತ್ತಾನಾರು)	••	0	2
Cæsalpinia Coriaria (Divi Divi) (ඔඨයිඨ)		0	4
Caryota urens (Kittul Fibre Palm) (いれる)		0	4
Castilloa elastica (American Rubber Tree)		0	4
Casuarina equisiti folia (ಸರುವೆಗಿಡ)	per 100	1	0
Cedrela odorata		0	4
Ceratonia siliqua (Carob Bean)	••	0	6
Cinnamomum camphora (Camphor Tree)		•	•
(ಕರ್ಪೂರದಗಿಡ)	•••	0	8
" zeylanicum (cinnamom)	••	0	8
Clitoria ternata	••	0	2
Coffee arabica (Arabian Coffee) (きつむれば)	••	0	2
" Liberica (Liberian Coffee)	••	0	2
" Kents Hybrid		0	4
Cocos nucifera (Cocoanut) さった	••	1	0
Croton tiglium (Croton oil plant)	••	0	4
Crotalaria juncea (Sunn Hemp)	••	0	1

Economic Plants—continued.

	Rs.	a.
Crotalaria (other Varieties)	0	1
Cryptostegia grandiflora (Palay Rubber)	0	2
Chrysobalanus Icaco (Koko Plum)	0	4
Curcuma longa (Turmeric) (ಅರಶಿಸ)	0	1
Cynodon dactylon (Hariali, Dub or Hay grass)		
(ಗರಿಕೆಪುಲ್ಲು) Roots basket	0	8
Dalbergia Sissoo (sissoo) (ಬೀಟೆಮರ)	0	3
Desmodium arboreum	0	4
Eriodendron anfractuosum (Kapok or		
Silk Cotton Tree)	0	2
Erythrina lithosperma (Dadap).	0	4
Erythroxylon Coca (Cocaine Plant)	0	4
Eugenia Michelli (Pittanga)	0	4
Forsteronia floribunda (Shrub Rubber)	0	8
Funtumia elastica (Lagos Silk Rubber)	0	4
Fourcroya gigantea (Maurtius Hemp)		
bulbils Per 1,000	15	0
", ", plants do	25	0
Guaiacum officinale (Guaiac Tree)	0	8
Hæmatoxylon campechianum (Log wood)	0	4
Hedychium coronarium	-0	2
Hemidesmus montana (ಮಾಕಳಿ) · · ·	0	8
Hydnocarpus anthelmentica	1	0
wightiana	1	0
Hymenæa Courbaril (Locust Tree)	0	3
Ilex paraguayensis (Paraguay Tea Plant)	0	8
Inga dulcis (Korkapille) (ಕೂರಕಾಪಳ್ಲಿ)	0	1
Ipil-Ipil · · ·	0	2
Juniperus procera (Pencil Cedar)	0	6
Landolphia Kirkii (Mozambique Rubber)	0	4
Luceana glanca (Syn.) Acacia glange	0	2
Manihot dichotoma (Manicoba Rubber)	0	4
Clariovii (Coara Rubber)	0	1
,, GIAZIOVII (Geara Teassor)		

Economic Plants—concluded.

	Rs.	as.	
Manihot utilissima (<i>Bitter Cassava</i>) (ධාර්ශය)	0	2	
Maranta arundinacea (Arrowroot)	0	4	
Melaleuca leucodendron	1	0	
Memecylon edule	0	4	
Moringa pterygosperma (Horse Radish Tree)			
(ನುಗ್ಗೆ ಮರ)	0	4	
Murraya Koengii (Curry leaf Tree) (ಕರಿಬೇವ)	0	4	
Musa textilis (Manila Hemp)	0	8	
Myristica fragrans	0	8	
Panicum Jumentorum (Guinea Grass) (Roots) per 100	0	8	
Passiflora edulis Each	0	4	
Paspalum dilatatum (Roots) per 100	1	0	
Piscidia erythrina (Dog wood) Each	0	2	
Pithecolobium saman (Rain Tree)	0	3	
Pogostemon Patchoulie (Patchouly (ಪಚ್ಚಿತೆನೆ)	0	3	
Quassia amara	0	4	
Rhodes Grass (Chloris Virgata) roots per 100	0	8	
Ruta Graveclens (Rue) Each	0	2	
Salvia officinalis (Sage)	0	4	
Sanseviera Zeylanica (Bow-string Hemp)	0	2	
Santalum album (Sandalwood) (きゃれつな)	0	4	
Spondias mangifera (Hog plum) ಅಮಚೆ	0	4	
Sterculia diversifolia (Currajong)	0	4	No. of the last of
Styrax benzoin	0	8	
Swietenia Mahagoni (Mahagony) (ಮಹಾಗನಿ)	0	4	
Trapa bispinosa (Singara Nut)	0	1	
Vanilla aromatica (Vanilla pod)	0	4	
" (Vanilla cuttings) per doz.	0	12	
Vangueria edulis Each	0	4	
Widdringtonia whyteii (Mlanjee Cypress)	1	0	

14. Cut Flowers, Bouquets, etc.

Cut flowers available will be supplied at the following prices:—

						ŀ	ks. a	S.	
]	Flowers, mixe	ed, small bash	ret		1	Each	1	0	
]	Flowers, mixe	ed, medium b	asket	14		do	2	0	1.7.74
]	lowers, mix	ed, large bask	et			do	4	0	4
1	Flowers, one	colour only, s	mall b	asket		do	3	0	
]	Roses				per	doz.	0	6	
1	Fern fronds,	common		A		do	0	6	
	,,	Maiden-hair		***		do	0	8	
1	Bouquets ma	de to order		Each fro	om R	2 1 to	10	0	
1	Crosses,	do		,, ,	,,	2 to	10	0	
1	Wreaths,	do		33	•	2 to	10	0	
/	Buttonholes	do		,,	,,	anl	To D	2 fur	18.63
1	Spray			,,,	55	2 to	0 0	4 hus	wo. Past
4.4	Sheaf 🤻 💃		••	33	,,	R 3	to 5	0	4

15. Sundry Garden Requisites.

		Rs. as.
Indelible Pencil		0 8
Indelible Ink		per bottle 1 0
Dealwood labels, unpainted		per 100 1 8
		to 3 0
Zinc labels	••	per 100 5 0
		to 10 0
Vases		Each 1 4
Fancy baskets		4 0
Hanging wire baskets		Each 1—8 to 3 0
Leaf-mould		per cart-load 3 0

N.B.—Owing to the planting work largely undertaken at the Lal-Bagh, the leaf mould collected is mostly required for use thereat. But whenever surplus quantity is available, the same can be had at Rs. 3 a cart-load, provided the purchaser sends his own cart in charge of a gardener who should select the best leaf-mould available and help himself in removing it from the pit shown by the Garden authorities.

H. C. JAVARAYA,

Superintendent,

Govt. Gardens in Mysore.

